

PERGO®

MATCHING ACCESSORIES

WOOD PARQUET
COLLECTIONS 2023-2024

NEW FALSTER



2,5 MM SURFACE | 2-WAY BEVEL

length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
● 2200 mm*	145 mm	13 mm	6	1,914	66	126,320
● 1820 mm*	145 mm	13 mm	6	1,583	66	104,500



SPRING OAK
● W1261-01741-3
● W1214-01741-3

ACCENT | BRUSHED
MATT LACQUER



RANCH OAK
● W1261-03097-3
● W1214-03097-3

LIVELY | DEEP BRUSHED
EXTRA MATT LACQUER



NORTHERN LIGHT OAK
● W1261-03202-3
● W1214-03202-3

ACCENT | BRUSHED
MATT LACQUER



ARCTIC OAK
● W1261-03572-3
● W1214-03572-3

ACCENT | BRUSHED
MATT LACQUER



SADDLE BROWN OAK
● W1261-03797-3
● W1214-03797-3

LIVELY | DEEP BRUSHED
EXTRA MATT LACQUER



HARBOURSIDE OAK
● W1261-03800-3
● W1214-03800-3

SELECTED | DEEP BRUSHED
EXTRA MATT LACQUER




LIGHT PURE OAK
● W1261-05125-3
● W1214-05125-3

SELECTED | BRUSHED
EXTRA MATT LACQUER


* We go to great lengths to help nature.

Wood is a natural resource, and we harvest that wood as naturally and with as little environmental harm as possible. Which is why the lengths of our wood planks sometimes vary. Check which length is currently available.

FALSTER MATCHING ACCESSORIES



PARQUET SKIRTING



**WATER RESISTANT
PARQUET SKIRTING**



5-IN-1 INCIZO® PROFILE*



COLOURED SEALANT

ART. NO DIMENSIONS	PGWPPSKR(-) 2400 × 16 × 80 mm	PGWPPSKR(-)MM 2400 × 16 × 80 mm	PGWINCP(-) 2150 × 54 × 17 mm	PGKIT(-)B 310 ml
W12xx-01741-3		01741	01741	PGKIT09B
W12xx-03097-3		01341	01341	PGKIT09B
W12xx-03202-3		01340	01340	PGKIT02B
W12xx-03572-3		01742	01742	PGKIT02B
W12xx-03797-3		03797	03797	PGKIT15B
W12xx-03800-3		03017	03017	PGKIT10B
W12xx-05125-3		01341	01341	PGKIT09B

* INCIZO® SUBPROFILE | NEWINCPBASE5 | 2150 × 70 × 18,5 mm.

The Incizo® subprofile is required for stair application and has to be ordered separately.

LOFOTEN

2,5 MM SURFACE | 2-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
● 2200 mm*	190 mm	13 mm	6	2,508 m ²	40	100,320 m ²
● 1820 mm*	190 mm	13 mm	6	2,075 m ²	50	103,740 m ²



SPRING OAK
● W1259-01741-3
● W1216-01741-3

ACCENT | BRUSHED
MATT LACQUER



RANCH OAK
● W1259-03097-3
● W1216-03097-3

LIVELY | DEEP BRUSHED
EXTRA MATT LACQUER



NATURAL OAK
● W1259-03201-3
● W1216-03201-3

ACCENT | BRUSHED
MATT LACQUER



NORTHERN LIGHT OAK
● W1259-03202-3
● W1216-03202-3

ACCENT | BRUSHED
MATT LACQUER



ARCTIC OAK
● W1259-03572-3
● W1216-03572-3

ACCENT | BRUSHED
MATT LACQUER



WHITE SAND OAK
● W1259-03793-3
● W1216-03793-3

LIVELY | DEEP BRUSHED
EXTRA MATT LACQUER



SADDLE BROWN OAK
● W1259-03797-3
● W1216-03797-3

LIVELY | DEEP BRUSHED
EXTRA MATT LACQUER



NATURAL PRIME OAK
● W1259-03798-3
● W1216-03798-3

SELECTED | DEEP BRUSHED
EXTRA MATT LACQUER



HARBOURSIDE OAK
● W1259-03800-3
● W1216-03800-3

SELECTED | DEEP BRUSHED
EXTRA MATT LACQUER



BROWN CABIN OAK
● W1259-03888-3
● W1216-03888-3

SELECTED | BRUSHED
EXTRA MATT LACQUER



LIGHT PURE OAK
● W1259-05125-3
● W1216-05125-3

SELECTED | BRUSHED
EXTRA MATT LACQUER

* We go to great lengths to help nature.

Wood is a natural resource, and we harvest that wood as naturally and with as little environmental harm as possible. Which is why the lengths of our wood planks sometimes vary. Check which length is currently available.

LOFOTEN MATCHING ACCESSORIES



PARQUET SKIRTING

**WATER RESISTANT
PARQUET SKIRTING**

5-IN-1 INCIZO® PROFILE*

COLOURED SEALANT

ART. NO DIMENSIONS	PGWPPSKR(-) 2400 × 16 × 80 mm	PGWPPSKR(-)MM 2400 × 16 × 80 mm	PGWINCP(-) 2150 × 54 × 17 mm	PGKIT(-)B 310 ml
W12xx-01741-3		01741	01741	PGKIT09B
W12xx-03097-3		01341	01341	PGKIT09B
W12xx-03201-3		01334	01334	PGKIT04B
W12xx-03202-3		01340	01340	PGKIT02B
W12xx-03572-3		01742	01742	PGKIT02B
W12xx-03793-3		01742	01742	PGKIT18B
W12xx-03797-3		03797	03797	PGKIT15B
W12xx-03798-3		01334	01334	PGKIT04B
W12xx-03800-3		03017	03017	PGKIT10B
W12xx-03888-3		03096	03096	PGKIT14B
W12xx-05125-3		01341	01341	PGKIT09B

* INCIZO® SUBPROFILE | NEWINCPBASE5 | 2150 × 70 × 18,5 mm.

The Incizo® subprofile is required for stair application and has to be ordered separately.

SVALBARD

2,5 MM SURFACE | 4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
● 2200 mm*	220 mm	13 mm	4	1,936 m ²	56	108,420 m ²
● 1820 mm*	220 mm	13 mm	4	1,602 m ²	56	89,690 m ²



SUBLIME OAK
● W1248-03792-3
● W1268-03792-3

LIVELY | BRUSHED
EXTRA MATT LACQUER



ICE WHITE OAK
● W1248-03793-3
● W1268-03793-3

LIVELY | DEEP BRUSHED
EXTRA MATT LACQUER



LIGHTHOUSE OAK
● W1248-03794-3
● W1268-03794-3

LIVELY | DEEP BRUSHED
EXTRA MATT LACQUER



LAPLAND OAK
● W1248-05117-3
● W1268-05117-3

ACCENT | BRUSHED
EXTRA MATT LACQUER



COUNTRY OAK
● W1248-05121-3
● W1268-05121-3

SELECTED | BRUSHED
EXTRA MATT LACQUER



FROST OAK
● W1248-05122-3
● W1268-05122-3

SELECTED | BRUSHED
EXTRA MATT LACQUER



SMOKED MANSION OAK
● W1248-05123-3
● W1268-05123-3

LIVELY | DEEP BRUSHED
EXTRA MATT LACQUER




CAMEL BROWN OAK
● W1248-05124-3
● W1268-05124-3

ACCENT | DEEP BRUSHED
EXTRA MATT LACQUER


* We go to great lengths to help nature.

Wood is a natural resource, and we harvest that wood as naturally and with as little environmental harm as possible. Which is why the lengths of our wood planks sometimes vary. Check with your Pergo supplier which length is currently available.

SVALBARD MATCHING ACCESSORIES



PARQUET SKIRTING



**WATER RESISTANT
PARQUET SKIRTING**



5-IN-1 INCIZO® PROFILE*



COLOURED SEALANT

**ART. NO
DIMENSIONS**

PGWPPSKR(-)
2400 × 16 × 80 mm

PGWPPSKR(-)MM
2400 × 16 × 80 mm

PGWINCP(-)
2150 × 54 × 17 mm

PGKIT(-)B
310 ml

W12xx-03792-3

01341

01341

PGKIT09B

W12xx-03793-3

01742

01742

PGKIT18B

W12xx-03794-3

03794

03794

PGKIT02B

W12xx-05117-3

05102

05102

PGKIT02B

W12xx-05121-3

01341

01341

PGKIT04B

W12xx-05122-3

05122

05122

PGKIT18B

W12xx-05123-3

01625

01625

PGKIT14B

W12xx-05124-3

03096

03096

PGKIT14B

* INCIZO® SUBPROFILE | NEWINCPBASE5 | 2150 × 70 × 18,5 mm.







The Incizo® subprofile is required for stair application and has to be ordered separately.

LANGELAND

2,5 MM SURFACE | 4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
● 2400 mm*	260 mm	13,5 mm	4	2,496 m ²	44	109,820 m ²
● 2200 mm*	260 mm	13,5 mm	4	2,288 m ²	44	100,670 m ²

					
<p>NORDIC POLAR OAK</p> <p>● W4049-03562</p> <p>● W4069-03562</p> <p>LIVELY DEEP BRUSHED EXTRA MATT LACQUER</p>	<p>RESIDENCE OAK</p> <p>● W4049-03566</p> <p>● W4069-03566</p> <p>LIVELY DEEP BRUSHED EXTRA MATT LACQUER</p>	<p>SEAFIELD OAK</p> <p>● W4049-03787</p> <p>● W4069-03787</p> <p>LIVELY BRUSHED EXTRA MATT LACQUER</p>	<p>CHATEAU OAK</p> <p>● W4049-03789</p> <p>● W4069-03789</p> <p>LIVELY BRUSHED EXTRA MATT LACQUER</p>	<p>BROWN CHESTNUT OAK</p> <p>● W4049-05116</p> <p>● W4069-05116</p> <p>ACCENT BRUSHED EXTRA MATT LACQUER</p>	<p>CASTLE OAK</p> <p>● W4049-05117</p> <p>● W4069-05117</p> <p>ACCENT BRUSHED EXTRA MATT LACQUER</p>

* We go to great lengths to help nature.

Wood is a natural resource, and we harvest that wood as naturally and with as little environmental harm as possible. Which is why the lengths of our wood planks sometimes vary. Check which length is currently available.

LANGELAND MATCHING ACCESSORIES



PARQUET SKIRTING



**WATER RESISTANT
PARQUET SKIRTING**



5-IN-1 INCIZO® PROFILE*



COLOURED SEALANT

ART. NO DIMENSIONS	PGWPPSKR(-) 2400 × 16 × 80 mm	PGWPPSKR(-)MM 2400 × 16 × 80 mm	PGWINCP(-) 2150 × 54 × 17 mm	PGKIT(-)B 310 ml
W40xx-03562	03562		03562	PGKIT02B
W40xx-03566		01341	01341	PGKIT04B
W40xx-03787		01340	01340	PGKIT18B
W40xx-03789		01334	01334	PGKIT04B
W40xx-05116	05104		05104	PGKIT04B
W40xx-05117		05102	05102	PGKIT02B

* INCIZO® SUBPROFILE | NEWINCPBASE5 | 2150 × 70 × 18,5 mm.


The Incizo® subprofile is required for stair application and has to be ordered separately.

SALTHOLM

2,5 MM SURFACE | 4-WAY BEVEL




length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
580 mm	145 mm	13,5 mm	12	1,009 m ²	44	44,400 m ²





LIGHT HERRINGBONE OAK
W4167-04856

SELECTED | BRUSHED
EXTRA MATT LACQUER




NATURAL HERRINGBONE OAK
W4167-05115

SELECTED | BRUSHED
EXTRA MATT LACQUER




BROWN HERRINGBONE OAK
W4167-06427

ACCENT | BRUSHED
EXTRA MATT LACQUER




VANILLA HERRINGBONE OAK
W4167-06431


ACCENT | DEEP BRUSHED
MATT LACQUER



SALTHOLM MATCHING ACCESSORIES



PARQUET SKIRTING



**WATER RESISTANT
PARQUET SKIRTING**



5-IN-1 INCIZO® PROFILE



COLOURED SEALANT

ART. NO DIMENSIONS	PARQUET SKIRTING PGWPPSKR(-) 2400 × 16 × 80 mm	WATER RESISTANT PARQUET SKIRTING PGWPPSKR(-)MM 2400 × 16 × 80 mm	5-IN-1 INCIZO® PROFILE PGWINCP(-) 2150 × 54 × 17 mm	COLOURED SEALANT PGKIT(-)B 310 ml
W4167-04856	04856		04856	PGKIT02B
W4167-05115	05115		05115	PGKIT04B
W4167-06427		03096	03096	PGKIT14B
W4167-06431		01341	01341	PGKIT09B

PERGO®

Floors for real life