

PERGO®

MATCHING ACCESSORIES

ORIGINAL LAMINATE
COLLECTIONS 2023 – 2024

NARVIK

4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1380 mm	190 mm	9 mm	6	1,573 m ²	64	100,670 m ²



SANDBANK OAK
● PRO X L0139-04450



WOODBIDGE OAK
● PRO X L0139-04609



GREY BEACH OAK
● PRO X L0139-05188



CRISPY CHALKED OAK
● PRO X L0139-05189



LIGHT PRIME OAK
● PRO X L0139-05190



PRIME OAK
● PRO X L0139-05191

NARVIK

MATCHING ACCESSORIES



STANDARD
SKIRTING



PARQUET
SKIRTING



5-IN-1 INCIZO®
PROFILE



COMMERCIAL
EXPANSION PROFILE



COLOURED
SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0139-04450	01854	-	01854	01854	PGKIT16B
L0139-04609	01849	-	01849	01849	PGKIT17B
L0139-05188	03558	-	03558	03558	PGKIT16B
L0139-05189	03866	03866	03866	03866	PGKIT19B
L0139-05190	04291	04291	04291	04291	PGKIT02B
L0139-05191	04295	04295	04295	04295	PGKIT09B

INCIZO® SUBPROFILE | NEINCPBASE11 | 2150 × 71 × 21 mm
 The Incizo® subprofile is required for stair application
 and has to be ordered separately.

NEW ODENSE

4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
2050 mm	240 mm	9,5 mm	6	2,952 m ²	33	97,416 m ²




CLAY OAK
 ● PRO L0263-06791
 ● L0363-06791



OATMEAL OAK
 ● PRO L0263-06792
 ● L0363-06792



MALT OAK
 ● PRO L0263-06793
 ● L0363-06793



CLOUDED OAK
 ● PRO L0263-06794
 ● L0363-06794



CLEAR OAK
 ● PRO L0263-06795
 ● L0363-06795



VIBRANT OAK
 ● PRO L0263-06796
 ● L0363-06796



DUSK OAK
 ● PRO L0263-06797
 ● L0363-06797



FOLK
 ● PRO L0263-06798
 ● L0363-06798



GLACIER OAK
 ● PRO L0263-06799
 ● L0363-06799



SOLSTICE OAK
 ● PRO L0263-06800
 ● L0363-06800



BEAUFORT OAK
 ● PRO L0263-06801
 ● L0363-06801



RUSTIC CHARM
 ● PRO L0263-06802
 ● L0363-06802



RUSTIC SMOKE
 ● PRO L0263-06803
 ● L0363-06803

ODENSE MATCHING ACCESSORIES



**STANDARD
SKIRTING**



**PARQUET
SKIRTING**



**SCOTIA
SKIRTING**



**5-IN-1 INCIZO®
PROFILE**



**COMMERCIAL
EXPANSION
PROFILE**



**COLOURED
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x63-06791	06791	06791	06791	06791	06791	PGKIT18B
L0x63-06792	06792	06792	06792	06792	06792	PGKIT18B
L0x63-06793	06793	06793	06793	06793	06793	PGKIT10B
L0x63-06794	06794	06794	06794	06794	06794	PGKIT02B
L0x63-06795	06795	06795	06795	06795	06795	PBKIT09B
L0x63-06796	06796	06796	06796	06796	06796	PGKIT09B
L0x63-06797	06797	06797	06797	06797	06797	PGKIT04B
L0x63-06798	06796	06796	06796	06796	06796	PGKIT09B
L0x63-06799	06799	06799	06799	06799	06799	PGKIT19B
L0x63-06800	06800	06800	06800	06800	06800	PGKIT09B
L0x63-06801	06801	06801	06801	06801	06801	PGKIT10B
L0x63-06802	06802	06802	06802	06802	06802	PGKIT10B
L0x63-06803	06803	06803	06803	06803	06803	PGKIT17B

INCIZO® SUBPROFILE | NEINCPBASE6 | 2150 × 71 × 21 mm
The Incizo® subprofile is required for stair application
and has to be ordered separately.



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1380 mm	190 mm	9 mm	6	1,573 m ²	64	100,672 m ²



NORTH CAPE OAK
 ● PRO L0239-04289
 ● L0339-04289



NORDIC SAND OAK
 ● PRO L0239-04291
 ● L0339-04291



SKAGEN OAK
 ● PRO L0239-04293
 ● L0339-04293



STOCKHOLM OAK
 ● PRO L0239-04295
 ● L0339-04295



ISLAND OAK
 ● PRO L0239-04297
 ● L0339-04297



TUNDRA OAK
 ● PRO L0239-04299
 ● L0339-04299



RIVERSIDE OAK
 ● PRO L0239-04301
 ● L0339-04301



GREY BARNHOUSE OAK
 ● PRO L0239-04303
 ● L0339-04303




MOORLAND OAK
 ● PRO L0239-04305
 ● L0339-04305



BARNHOUSE OAK
 ● PRO L0239-04307
 ● L0339-04307




MEADOW OAK
 ● PRO L0239-04309
 ● L0339-04309



VINTAGE GREY OAK
 ● PRO L0239-04311
 ● L0339-04311



ESTATE OAK
 ● PRO L0239-04313
 ● L0339-04313



WEATHERED PINE
 ● PRO L0239-04315
 ● L0339-04315



TASMANIAN OAK
 ● PRO L0239-04317
 ● L0339-04317



REFINED WALNUT
 ● PRO L0239-04319
 ● L0339-04319

ARENDAL MATCHING ACCESSORIES



**STANDARD
SKIRTING**



**PARQUET
SKIRTING**



**SCOTIA
SKIRTING**



**5-IN-1 INCIZO®
PROFILE**



**COMMERCIAL
EXPANSION
PROFILE**



**COLOURED
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x39-04289	04289	04289	04289	04289	04289	PGKIT19B
L0x39-04291	04291	04291	04291	04291	04291	PGKIT18B
L0x39-04293	04293	04293	04293	04293	04293	PGKIT10B
L0x39-04295	04295	04295	04295	04295	04295	PGKIT09B
L0x39-04297	04297	04297	04297	04297	04297	PGKIT02B
L0x39-04299	04299	04299	04299	04299	04299	PGKIT10B
L0x39-04301	04301	04301	04301	04301	04301	PGKIT10B
L0x39-04303	04303	04303	04303	04303	04303	PGKIT19B
L0x39-04305	04305	04305	04305	04305	04305	PGKIT18B
L0x39-04307	04307	04307	04307	04307	04307	PGKIT15B
L0x39-04309	04309	04309	04309	04309	04309	-
L0x39-04311	04311	04311	04311	04311	04311	PGKIT16B
L0x39-04313	04313	04313	04313	04313	04313	PGKIT09B
L0x39-04315	04315	04315	04315	04315	04315	PGKIT12B
L0x39-04317	04317	04317	04317	04317	04317	PGKIT15B
L0x39-04319	04319	04319	04319	04319	04319	PGKIT14B

INCIZO® SUBPROFILE | NEINCPBASE9 | 2150 × 71 × 21 mm
The Incizo® subprofile is required for stair application
and has to be ordered separately.

VISBY (MODERN PLANK 8 MM)

4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1380 mm	190 mm	8 mm	7	1,835 m ²	48	88,080 m ²



LIMED GREY OAK
 ● PRO L0231-03367
 ● L0331-03367



URBAN GREY OAK
 ● PRO L0231-03368
 ● L0331-03368



NEW ENGLAND OAK
 ● PRO L0231-03369
 ● L0331-03369



MANOR OAK
 ● PRO L0231-03370
 ● L0331-03370



FARMHOUSE OAK
 ● PRO L0231-03371
 ● L0331-03371



MODERN DANISH OAK
 ● PRO L0231-03372
 ● L0331-03372



BRUSHED WHITE PINE
 ● PRO L0231-03373
 ● L0331-03373



COASTAL OAK
 ● PRO L0231-03374
 ● L0331-03374



VILLAGE OAK
 ● PRO L0231-03375
 ● L0331-03375



SCRAPED VINTAGE OAK
 ● PRO L0231-03376
 ● L0331-03376




FROST WHITE OAK
 ● PRO L0231-03866
 ● L0331-03866



STUDIO OAK
 ● PRO L0231-03867
 ● L0331-03867



CITY OAK
 ● PRO L0231-03868
 ● L0331-03868



BLACK PEPPER OAK
 ● PRO L0231-03869
 ● L0331-03869

VISBY MATCHING ACCESSORIES



**STANDARD
SKIRTING**



**PARQUET
SKIRTING**



**SCOTIA
SKIRTING**



**5-IN-1 INCIZO®
PROFILE**



**COMMERCIAL
EXPANSION
PROFILE**



**COLOURED
SEALANT**

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x31-03367	03367	03367	03367	03367	03367	PGKIT19B
L0x31-03368	03368	03368	03368	03368	03368	PGKIT03B
L0x31-03369	03369	03369	03369	03369	03369	PGKIT18B
L0x31-03370	03370	03370	03370	03370	03370	PGKIT09B
L0x31-03371	03371	03371	03371	03371	03371	PGKIT15B
L0x31-03372	03372	03372	03372	03372	03372	PGKIT02B
L0x31-03373	03373	03373	03373	03373	03373	PGKIT01B
L0x31-03374	03374	03374	03374	03374	03374	PGKIT02B
L0x31-03375	03375	03375	03375	03375	03375	PGKIT04B
L0x31-03376	03376	03376	03376	03376	03376	PGKIT04B
L0x31-03866	03866	03866	03866	03866	03866	PGKIT01B
L0x31-03867	03867	03867	03867	03867	03867	PGKIT19B
L0x31-03868	03868	03868	03868	03868	03868	PGKIT10B
L0x31-03869	03869	03869	03869	03869	03869	PGKIT12B

INCIZO® SUBPROFILE | NEINCPBASE8 | 2150 × 71 × 21 mm
The Incizo® subprofile is required for stair application
and has to be ordered separately.

STAVANGER

4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1380 mm	278,5 mm	8 mm	6	2,306 m ²	48	110,688 m ²



BLOSSOM OAK
 ● PRO L0245-04994
 ● L0345-04994



VALLEY OAK
 ● PRO L0245-04995
 ● L0345-04995



ABBAY OAK
 ● PRO L0245-04996
 ● L0345-04996



NORTHERN OAK
 ● PRO L0245-04997
 ● L0345-04997



SEASALT OAK
 ● PRO L0245-04998
 ● L0345-04998



VITALETA OAK
 ● PRO L0245-04999
 ● L0345-04999



BORGIO OAK
 ● PRO L0245-05000
 ● L0345-05000



PORT OAK
 ● PRO L0245-05002
 ● L0345-05002



WILDWOOD OAK
 ● PRO L0245-05003
 ● L0345-05003



RIVER ROCK OAK
 ● PRO L0245-05004
 ● L0345-05004



MOUNTAIN CABIN OAK
 ● PRO L0245-05005
 ● L0345-05005



ATELIER OAK
 ● PRO L0245-05006
 ● L0345-05006

STAVANGER MATCHING ACCESSORIES



	STANDARD SKIRTING	PARQUET SKIRTING	SCOTIA SKIRTING	5-IN-1 INCIZO® PROFILE	COMMERCIAL EXPANSION PROFILE	COLOURED SEALANT
ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x45-04994	04994	04994	04994	04994	04994	PGKIT15B
L0x45-04995	04995	04995	04995	04995	04995	PGKIT10B
L0x45-04996	04996	04996	04996	04996	04996	PGKIT18B
L0x45-04997	04997	04997	04997	04997	04997	PGKIT16B
L0x45-04998	04998	04998	04998	04998	04998	PGKIT19B
L0x45-04999	04999	04999	04999	04999	04999	PGKIT16B
L0x45-05000	05000	05000	05000	05000	05000	PGKIT04B
L0x45-05002	05002	05002	05002	05002	05002	PGKIT02B
L0x45-05003	05003	05003	05003	05003	05003	PGKIT09B
L0x45-05004	05004	05004	05004	05004	05004	PGKIT17B
L0x45-05005	05005	05005	05005	05005	05005	PGKIT15B
L0x45-05006	05006	05006	05006	05006	05006	PGKIT09B

INCIZO® SUBPROFILE | NEINCPBASE8 | 2150 × 71 × 21 mm
 The Incizo® subprofile is required for stair application
 and has to be ordered separately.

BERGEN

4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1380 mm	156 mm	8 mm	8	1,722 m ²	60	103,320 m ²



COMFORT GREY OAK
● PRO L0246-05007
● L0346-05007



RAILWAY OAK
● PRO L0246-05008
● L0346-05008



COLOGNE OAK
● PRO L0246-05009
● L0346-05009



PIER OAK
● PRO L0246-05010
● L0346-05010



VIENNA OAK
● PRO L0246-05011
● L0346-05011



PORTMAN WALNUT
● PRO L0246-05012
● L0346-05012



RED CLAY TEAK
● PRO L0246-05021
● L0346-05021



TROMSDALEN OAK
● PRO L0246-05022
● L0346-05022

BERGEN MATCHING ACCESSORIES



	STANDARD SKIRTING	PARQUET SKIRTING	SCOTIA SKIRTING	5-IN-1 INCIZO® PROFILE	COMMERCIAL EXPANSION PROFILE	COLOURED SEALANT
ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x46-05007	05007	05007	05007	05007	05007	PGKIT16B
L0x46-05008	05008	05008	05008	05008	05008	PGKIT10B
L0x46-05009	05009	05009	05009	05009	05009	PGKIT04B
L0x46-05010	05010	05010	05010	05010	05010	PGKIT09B
L0x46-05011	05011	05011	05011	05011	05011	PGKIT09B
L0x46-05012	05012	05012	05012	05012	05012	PGKIT15B
L0x46-05021	05021	05021	05021	05021	05021	PGKIT14B
L0x46-05022	05022	05022	05022	05022	05022	PGKIT02B

INCIZO® SUBPROFILE | NEINCPBASE8 | 2150 × 71 × 21 mm
 The Incizo® subprofile is required for stair application
 and has to be ordered separately.

DRAMMEN

4-WAY BEVEL



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1200 mm	190 mm	8 mm	7	1,596 m ²	64	102,144 m ²



BROWN LEATHERED OAK
● PRO L0248-05013
● L0348-05013



SANDWAVE OAK
● PRO L0248-05014
● L0348-05014



WHITE GLOOM OAK
● PRO L0248-05015
● L0348-05015



ISLA OAK
● PRO L0248-05016
● L0348-05016



RICARD OAK
● PRO L0248-05017
● L0348-05017



CAPPUCCINO OAK
● PRO L0248-05018
● L0348-05018



CORNWALL OAK
● PRO L0248-05019
● L0348-05019



DARTMOOR OAK
● PRO L0248-05020
● L0348-05020

DRAMMEN MATCHING ACCESSORIES



	STANDARD SKIRTING	PARQUET SKIRTING	SCOTIA SKIRTING	5-IN-1 INCIZO® PROFILE	COMMERCIAL EXPANSION PROFILE	COLOURED SEALANT
ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x48-05013	05013	05013	05013	05013	05013	PGKIT17B
L0x48-05014	05014	05014	05014	05014	05014	PGKIT09B
L0x48-05015	05015	05015	05015	05015	05015	PGKIT01B
L0x48-05016	05016	05016	05016	05016	05016	PGKIT18B
L0x48-05017	05017	05017	05017	05017	05017	PGKIT10B
L0x48-05018	05018	05018	05018	05018	05018	PGKIT04B
L0x48-05019	05019	05019	05019	05019	05019	PGKIT10B
L0x48-05020	05020	05020	05020	05020	05020	PGKIT16B

INCIZO® SUBPROFILE | NEINCPBASE2 | 2150 × 71 × 21 mm
 The Incizo® subprofile is required for stair application
 and has to be ordered separately.

MANDAL

NO BEVEL




length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1200 mm	190 mm	8 mm	7	1,596 m ²	64	102,144 m ²



NATURAL OAK
● PRO L0247-01804
● L0347-01804



DARK GREY OAK
● PRO L0247-01805
● L0347-01805



VINEYARD OAK
● PRO L0247-05023
● L0347-05023



MISTY OAK
● PRO L0247-05024
● L0347-05024




SOFT CABIN OAK
● PRO L0247-05025
● L0347-05025



MAINE OAK
● PRO L0247-05026
● L0347-05026



SEA STACK OAK
● PRO L0247-05027
● L0347-05027



POTTERY OAK
● PRO L0247-05028
● L0347-05028

MANDAL MATCHING ACCESSORIES



	STANDARD SKIRTING	PARQUET SKIRTING	SCOTIA SKIRTING	5-IN-1 INCIZO® PROFILE	COMMERCIAL EXPANSION PROFILE	COLOURED SEALANT
ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x47-01804	01731	01731	01731	01731	01731	PGKIT04B
L0x47-01805	01730	01730	01730	01730	01730	PGKIT03B
L0x47-05023	05023	05023	05023	05023	05023	PGKIT09B
L0x47-05024	05024	05024	05024	05024	05024	PGKIT18B
L0x47-05025	05025	05025	05025	05025	05025	PGKIT10B
L0x47-05026	05026	05026	05026	05026	05026	PGKIT03B
L0x47-05027	05027	05027	05027	05027	05027	PGKIT01B
L0x47-05028	05028	05028	05028	05028	05028	PGKIT12B

INCIZO® SUBPROFILE | NEINCPBASE2 | 2150 × 71 × 21 mm
 The Incizo® subprofile is required for stair application
 and has to be ordered separately.



length	width	thickness	panels / pack	m ² / pack	pack / pallet	m ² / pallet
1200 mm	190 mm	7 mm	8	1,824 m ²	64	116,736 m ²



VINEYARD OAK
● L0365-04386 | BEVEL
● L0364-04386 | NO BEVEL



MILK WHITE OAK
● L0365-04387 | BEVEL
● L0364-04387 | NO BEVEL



ELEGANT GREY OAK
● L0365-04388 | BEVEL
● L0364-04388 | NO BEVEL



RIVER OAK
● L0365-04389 | BEVEL
● L0364-04389 | NO BEVEL



NATURAL BEIGE OAK
● L0365-04390 | BEVEL
● L0364-04390 | NO BEVEL



HIGHLAND BROWN OAK
● L0365-04391 | BEVEL
● L0364-04391 | NO BEVEL



CONVENT OAK
● L0365-04392 | BEVEL
● L0364-04392 | NO BEVEL



CANYON OAK
● L0365-04393 | BEVEL
● L0364-04393 | NO BEVEL



WARM NATURAL OAK
● L0365-04394 | BEVEL
● L0364-04394 | NO BEVEL



WATERFRONT OAK
● L0365-04395 | BEVEL
● L0364-04395 | NO BEVEL

ESPOO

MATCHING ACCESSORIES



	STANDARD SKIRTING	PARQUET SKIRTING	SCOTIA SKIRTING	5-IN-1 INCIZO® PROFILE	COMMERCIAL EXPANSION PROFILE	COLOURED SEALANT
ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGSCOT(-) 2400 × 17 × 17 mm	PGINCP(-) 2150 × 48 × 13 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L036x-04386	04386	04386	04386	04386	04386	PGKIT16B
L036x-04387	04387	04387	04387	04387	04387	PGKIT01B
L036x-04388	04388	04388	04388	04388	04388	PGKIT03B
L036x-04389	04389	04389	04389	04389	04389	PGKIT18B
L036x-04390	04390	04390	04390	04390	04390	PGKIT10B
L036x-04391	04391	04391	04391	04391	04391	PGKIT17B
L036x-04392	04392	04392	04392	04392	04392	PGKIT10B
L036x-04393	04393	04393	04393	04393	04393	PGKIT10B
L036x-04394	04394	04394	04394	04394	04394	PGKIT09B
L036x-04395	04395	04395	04395	04395	04395	PGKIT16B

INCIZO® SUBPROFILE | NEINCPBASE1 | 2150 × 71 × 21 mm
 The Incizo® subprofile is required for stair application
 and has to be ordered separately.

PERGO®

Floors for real life